

**D**  
**d**

PE SERIES





## STORAGE

Rolls of paperbacked PE should be stored so that a minimum weight rests on each piece. Do not stand on end.

---

## EXAMINATIONS

All wallcoverings must be examined for pattern, color and quality. Make sure that multiple rolls match each other. Carefully inspect the wallcovering prior to cutting, as cut material cannot be returned. DO NOT HANG MORE THAN THREE DROPS without reviewing for shade consistency. Bear in mind that minor shading is to be expected with woven wallcovering.

## ADHESIVE

Walls must be completely smooth. The walls should be prepared with a quality wallcovering primer chosen at the discretion of the installer.

---

## HANGING

Use a heavy duty adhesive. Adhesive should not be thinned with chemical solvent. Apply the adhesive to the paper backing. When hanging acrylic backed PE apply the adhesive to the substrate.

We recommend table trimming and butting. TRIM 2 INCHES FROM BOTH SIDES. USE A NEW BLADE FOR EACH SHEET. If you choose to double cut on the wall, a Zipper Knife (double cutter) MUST be used to avoid cutting into the wall surface. If the wall surface is cut, the seams will eventually split and we will not accept any responsibility. When hanging paper backed PE, apply the adhesive to the paper backing. When hanging acrylic backed PE, apply the adhesive to the wall.



- 1.Cut and hang the drops consecutively including pieces over doors and windows.
- 2.PE may have some minor shading or paneling. Shading tends to be optical (depending on lighting at the installation site), and should be closely monitored through the hanging process. Color uniformity is best evaluated under permanent light conditions.
- 3.AFTER THREE DROPS ARE INSTALLED, INSPECT THE WALLCOVERING to insure that the installer and designer are satisfied with the overall look.
- 4.Paneling or shading may occur. ONLY reverse the drops in the instance where paneling occurs which may help minimize effect.\*
- 5.Do not paste more than two drops at a time.
- 6.Do not let glue set up longer than FIVE MINUTES.
- 7.Drop should be rolled after passing. Not Folded.
- 8.If PE tends to curl away from the top or bottom of the wall, prime the top or bottom edges of the wall with adhesive. Allow adhesive to become tacky before hanging fabric.
- 9.DO NOT USE A SEAM ROLLER OF ANY KIND AT THE SEAMS OR EDGES.  
Smooth the seams with a plastic scraper (Walwiz) or brush.
- 10.To clean any excess adhesive at seams, wipe with a slightly damp sponge using clean, hot water. Dry immediately with a terry towel.

\* Note: Reverse hanging may not be possible on PE patterns that require straight repeat matches.



## DURABLE



## DURABLE

Stands up to abuse in high-traffic areas. 200,000 to 1 million double rubs on the Wyzenbeek Abrasion Test.



## COLORFAST / LIGHTFAST

Solution dyed. Color not affected by cleaning products (including diluted bleach) or light exposure.



## TACKABLE

Highly tackable yarns can “move back” into position.



## PERFORMANCE WITHOUT FINISHES

No topical or chemical finishes, all performance qualities are inherent to the yarn.



## STAIN RESISTANT YARNS

Water and stains do not penetrate the extruded yarns.



## EASY TO CLEAN

Can be aggressively cleaned with water, solvent cleaners and diluted bleach.



## ANTI-MICROBIAL

Inherently antibacterial, anti-fungal, anti-staph.



## 100% PVC FREE

Free of PVC, chlorine, plasticizers, heavy metals and ozone depleting chemicals.



## BIOBASED VERSION OFFERED

The world's first Biobased high-performance textile. Biobased PE is a true plant-based product with a significantly reduced carbon footprint.



## PROTECTED

7-year warranty and 30+ year track record.

## PE SERIES



Its performance and characteristics in areas as varied as durability, cleanability, acoustics, indoor air quality, bacterial resistance, etc. We invite you to explore the vast design options and creative applications that can be realized in this unique material.


## Product Technical Parameters

FABRIC GRAMMAGE: 300g-350g/m<sup>2</sup>

HOT MELT ADHESIVE:35-36g/m<sup>2</sup>

NON-WOVEN: 75-80g/m<sup>2</sup>

THICKNESS:1.5mm-1.6mm



FABRIC DECOMPOSITION CHART

PE SERIES



CERTIFICATE OF COMPLIANCE  
Certificate No: CU1030624GRS-2019-11013281  
Registration No: 1030624

Dit

PE SERIES



D

PE SERIES



M117-1



M117-3



**M117 SERIES**

70%HDPE 30%POLYESTER  
137cm-145cm



M117-2



M117-4

D


PE SERIES

CAT TOWER  
猫爬架



Dog

PE SERIES



**Durability** No wear 1 million double rubs.  
Suit for material of cat tower.



Dt

PE SERIES




D&T

PE SERIES



**M10 SERIES**

100% HDPE  
137cm×145cm



PE SERIES



## M10 SERIES

100% HDPE  
137cm-145cm



D&T


PE SERIES

D&T

PE SERIES



SHAPE SPECIFICATIONS



D

PE SERIES

POINT RATE

WALL COVERING

UPHOLSTERY

PANELS

SHOES

BAG



D&T

PIE SERIES

UPHOLSTERY



D&T

PE SERIES



JC10-113



JC10-29



JC6423-814



JC10-37



JC10-5





**JC SERIES**

100% HDPE  
137cm-145cm



D

PE SERIES



D

PE SERIES



D

PE SERIES

D

PE SERIES



## PE SERIES CUSTOMIZED

Advanced Customization  
Hotel Supplies  
Durable And Beautiful














D

PE SERIES



D&T

PE SERIES











## M10 SERIES

100% HDPE  
137cm 145cm



PE SERIES




M10 SERIES

100% HDPE  
137cm-145cm



PE SERIES





DAY

PE SERIES



ZX SERIES

100%PE  
137cm



D

PE SERIES




Do

PE SERIES



ZX SERIES

100%PE  
137cm




Dt





PE SERIES

D

PE SERIES



**ZX SERIES**  
100%PE  
137cm



Dt

PE SERIES



Do

PE SERIES




ZX SERIES

100%PE  
137cm




D

PE SERIES





PE SERIES



ZX SERIES

100%PE  
137cm



D

PE SERIES



D

PE SERIES



G1-01



G1-05



G1-06



G1-02



G1-03



G1-04



G1-07



G1-07



**G1 SERIES**

84%PE  
16%Polyester  
137cm



Sample available upon request.

PE SERIES



G2-02



G2-03



G2-04

Sample available upon request.

D

**PE SERIES**



G2-01



G2-05



G2-07



G2-06



G2-08



**G2 SERIES**

84%PE  
16%Polyester  
137cm

Sample available upon request.






PE SERIES



D

**PE SERIES**




**G3 SERIES**  
84%PE  
16%Polyester  
137cm

Dt

Sample available upon request.

PE SERIES



D


**PE SERIES**



G4-01




G4-02




G4-03



G4-04



G4-05



G4-06



G4-07



G4-08



**G4 SERIES**

84%PE  
16%Polyester  
137cm



Sample available upon request.

PE SERIES

D

PE SERIES



G5-01



G5-02



G5-03



**G5 SERIES**

84%PE  
16%Polyester  
137cm



G5-04



G5-06



G5-05



G5-07


Sample available upon request.




PE SERIES

D  
C

**PE SERIES**




G6-01



G6-02



G6-03




G6-04




G6-05



G6-06



G6-07



G6-08



**G6 SERIES**

84%PE  
16%Polyester  
137cm


D

Sample available upon request.

PE SERIES




PE SERIES



G7-01



G7-02



G7-03



G7-04



G7-05



G7-06



G7-07



G7-08



**G7 SERIES**

84%PE  
16%Polyester  
137cm




Sample available upon request.

PE SERIES



PE SERIES




G8-02




G8-03



G8-04



G8-05



G8-06



G8-01



G8-07



G8-08



**G8 SERIES**

84%PE  
16%Polyester  
137cm

Dt

Sample available upon request.

PE SERIES



D&T

**PE SERIES**



T203-4



T203-4



T203-1



T203-2



T203-4



T203-1



T203-4



T203-5



**M129 SERIES**

35%PE  
65%Polyester  
137cm



Sample available upon request.

PE SERIES

Dt


**PE SERIES**



T203-4



T203-4



T203-1




T203-2




T203-4




T203-1




T203-4



T203-5



T203-5



**M130 SERIES**

58%PE  
42%Polyester  
137cm



Sample available upon request.

PE SERIES



D

PE SERIES





PE SERIES




D&G

PE SERIES



M18 SERIES

100% HDPE  
137cm-145cm



D

PE SERIES



Dat

Wall surfaces in commercial projects endure a lot of traffic; even abuse. Our wipeable, bleach cleanable, and always PVC-free PE Wallcovering is not only sensible for the environment but also a strong visual appeal to transform any interior space. Antimicrobial, antibacterial, sustainable and durable, PE exceeds in aspects of performance.



PE SERIES

Di



PE SERIES



Details



D&T





Dt



### **Design Installation Concept Store**

D35 Room, RCA Block D,  
21/119 Soi Soonvijai, Bangkapi,  
Huey Kwang, Bangkok 10310 Thailand

Tel. +66 2 203 0905

Fax. +66 2 203 0918

Website. [www.diconcept.bz](http://www.diconcept.bz)

Line ID. @di.concept.store

